

# GLITE VOMS SERVER AND ADMINISTRATION TOOLS (MYSQL)

## 1. RELEASE DESCRIPTION

This release contains the MySQL version of the gLite VOMS Server and Administration Tools module v. 2.1.0. The following sections provide additional information about the release content, the module dependencies, the known bugs and issues and a list of bugs closed since the previous release. For information about installing and using the gLite VOMS Server and Administration Tools, please refer to the gLite Installation and User Guides.

**This deployment module replaces the deployment module glite-voms-server.**

## 2. CHANGES IN THIS RELEASE

### 2.1. CHANGES IN FUNCTIONALITY

#### 2.1.1. VOMS-ADMIN

*Installation changes:*

- There is now full support for using Oracle as the VOMS admin database backend. There are six new options to voms-admin-configure for configuring VOMS to use a preconfigured database account (see help for details)
- This release continues to support the old "--dbapwd" database setup parameters that were offered in previous releases; however, this obsolete interface may disappear in a future VOMS Admin release.
- The --copy-vomsd option to voms-admin-configure is not supported in this release.
- Both MySQL and Oracle may be installed on a remote server; voms-admin-configure has been fixed to make sure that deployment succeeds and both VOMS services are configured correctly in this case.
- The voms-admin-configure script now configures the VOMS core service with suitable default values for the --timeout, --loglevel and --logtype parameters.

*Service changes:*

- By default, clients from localhost do not bypass the ACL checks any more. Please adapt your remaining local batch processes to use an authenticated connection using the host certificate. You can set the "voms.localhost.has.bypass" parameter to true to restore the former behaviour.
- The VOMSAdmin.getVOName SOAP method is now publicly available for every client. No authorization checks are made. In previous releases, the client was expected to have the LIST privilege on the VO group to get the VO name.
- You can now disable some or all parts of the web interface by editing voms.service.properties. For example, it is useful to disable the request interface when users are registered outside of VOMS Admin, e.g. with VOMRS. See voms-admin release notes for details.
- The new 'voms.readonly' option allows you to set up a read-only VOMS Admin server, in which all update operations are denied.
- The request scheduler is now enabled by default. This means that old requests are now deleted from the database by a periodically running background thread. Expired requests and requests which are explicitly deleted on the web interface are \_completely\_removed\_ from the database after a short delay. See voms-admin release notes for details.

- The three database connection pools (for Updates, Queries and DirectUpdates) have been consolidated into a single pool to reflect that the suggested deployment method has been changed to use a single database account. The database connection handling layer has been rewritten accordingly.
- The list of known CAs is now always kept in memory. This greatly reduces (in some cases, halves) the number of SQL queries necessary for most SOAP operations.
- The overall performance of the service has been radically improved by limited caching of queried data across transactions. See voms-admin release notes for details.
- The performance of the ACL checking module has been greatly enhanced in the common case when there is no deny rule and so we can shortcut on the first allow rule found. See voms-admin release notes for details.

#### *Web interface changes:*

- The HTML VO welcome page at <https://server:8443/voms/VONAME/> is now generated dynamically. It shows the VO name and your login information.
- You can now remove users from groups or roles using the web interface. The previous release removed users from the VO instead by mistake.
- The included ".pp" content files have been reorganized to follow the URLs that are currently used by the service. This means that there is again a default boilerplate text on the request submission page, and other pages.

#### *Database changes*

- The service is now fully capable of running on an Oracle database.

### **2.1.2. VOMS changes**

- Removal of separate c-api
- Using of MySQL c api instead of mysql++
- Changes of error messages and logging system

## **2.2. CHANGES IN CONFIGURATION**

The configuration of the module has changed. Please update your configuration if you upgrade from a previous version of the VOMS server.

### **2.2.1. New configuration parameters**

The following configuration parameters have been added:

<b>File: glite-voms-server.cfg.xml</b>		
Parameter	Default value	Description
<b>User-defined Parameters</b>		
voms.db.host		Hostname of the database server. Put 'localhost' if you run the database on the same machine. This parameter can be specified also separately per VO. <i>Example: localhost</i> [Type: 'string']
voms.admin.smtp.host		Host to which voms-admin-service-generated emails should be submitted. Use 'localhost' if you have a fully configured SMTP server running on this host. Otherwise specify the hostname of a working SMTP submission

		service. This parameter can be specified also separately per VO. <i>Example: localhost</i> [Type: 'string']
voms.mysql.admin.password		Administrator login password for the MySQL database. This parameter can be specified also separately per VO. <i>Example: 'verySecret'</i> [Type: 'string']
<b>Advanced Parameters</b>		
rgma.servicetool.activate	true	Turn on/off servicetool for the node. <i>Example: true</i> [Type: 'boolean']
voms.mysql.admin.name	root	Administrator login name for the MySQL database. This parameter can be specified also separately per VO. <i>Example: 'root'</i> [Type: 'string']
voms.db.mysql.port	3306	Port number of the database server for mysql. This parameter can be specified also separately per VO. <i>Example: 3306</i> [Type: 'integer']
voms.db.oracle.port	1521	Port number of the database server for oracle. This parameter can be specified also separately per VO. <i>Example: 1521</i> [Type: 'integer']
<b>System Parameters</b>		
voms.db.oracle.library	<code> \${GLITE_LOCATION}/lib/libvomsoracle.so</code>	Location of the oracle voms libraries. <i>Example: \${GLITE_LOCATION}/lib/libvomsoracle.so</i> [Type: 'string']
<b>VO Instances parameters</b>		
voms.db.name		Database name to be used to store VOMS information. If you are upgrading from a release before 1.4, the default value up to release 1.3 was <code>voms_\${voms.vo.name}</code> . <i>Example: VOMS_EGEE</i> [Type: 'string']
voms.db.user.name		Name of database user. This parameter can be specified also separately per VO. If you are upgrading from a release before 1.4, the default value up to release 1.3 was <code>vo_adm</code> . <i>Example: voUser</i> [Type: 'string']
voms.db.user.password		Password of database user defined in ' <code>voms.db.user.name</code> '. This parameter can be specified

		also separately per VO. If you are upgrading from a release before 1.4, the default value up to release 1.3 was the mysql root password. <i>Example: verySecret</i> [Type: 'string']
<i>VOMS admin specific parameters</i> <i>If you have decided not to run the voms-admin by setting 'voms.admin.install' to false you can leave these parameters empty or remove them.</i>		
voms.admin.notification.e-mail		E-mail address that is used to send notification mails from the VOMS-admin. <i>Example: name.surname@domain.org</i> [Type: 'string']"
voms.admin.certificate		The certificate file (in pem format) of an initial VO administrator. The VO will be set up so that this user has full VO administration privileges. Remove parameter or leave parameter empty if you don't want to create an initial VO administrator. <i>Example: /your/path/admincert.pem</i> [Type: 'string']

## 2.2.2. Removed configuration parameters

The following configuration parameters have been removed:

File: glite-voms-server.cfg.xml	
Parameter	Comment
<b>User defined parameters</b>	
vo.admin.e-mail	Replaced by parameter 'voms.admin.notification.e-mail'.
voms.mysql.passwd	Replaced by parameter 'voms.mysql.admin.password'
<b>Advanced parameters</b>	
vo.ca.URI	Not used anymore.
<b>System parameters</b>	
voms-admin.install	Replaced by parameter 'voms.admin.install' (now advanced parameter)

## 2.2.3. Changed configuration parameters

The following parameters have changed:

File: glite-voms-server.cfg.xml			
Parameter	Default value	Description	Changes in parameter
<b>Advanced Parameters</b>			
voms.db.type		Database type to be	• The parameter has

		<p>used. Can be 'mysql oracle'. This parameter cannot be specified separately per VO.</p> <p><i>Example: mysql</i> [Type: 'string']</p>	<p>been moved from advanced to user defined.</p> <ul style="list-style-type: none"><li>The parameter has no default value any more.</li></ul>
--	--	---	---

## 2.3. BUG FIXES

- This release introduces a set of bug fixes (for the full list of fixed bug see sections 5.2 and 5.3)

## 3. RELEASE CONTENTS

### 3.1. GLITE SUB-DEPLOYMENT MODULES

The gLite VOMS Server (MySQL) module installs/uses the following set of gLite deployment modules:

- glite-voms-server-mysql
- glite-rgma-servicetool
- glite-security-utils

Please see the corresponding release notes of these modules for details.

### 3.2. GLITE RPMs

The gLite VOMS Server MySQL module is composed of the following gLite components (list includes the gLite components of the other used gLite deployment modules listed in section 3.1):

Component name	Description	Version	File
glite-config	gLite configuration scripts	1.4.2	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-config-1.4.2-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-config-1.4.2-1.noarch.rpm</a>
glite-rgma-api-java	Java API for R-GMA	4.1.5	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-api-java-4.1.5-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-api-java-4.1.5-1.noarch.rpm</a>
glite-rgma-base	R-GMA basic configuration and documentation	4.1.19	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-base-4.1.19-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-base-4.1.19-1.noarch.rpm</a>
glite-rgma-common-config	gLite rgma common configuration items installation	5.0.0	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-common-config-5.0.0-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-common-config-5.0.0-1.noarch.rpm</a>
glite-rgma-servicetool	R-GMA service tool	4.1.19	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-servicetool-4.1.19-3.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-servicetool-4.1.19-3.noarch.rpm</a>
glite-rgma-servicetool-config	gLite R-GMA servicetool installation	5.1.0	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-servicetool-config-5.1.0-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-servicetool-config-5.1.0-1.noarch.rpm</a>
glite-rgma-stubs-	Java client	4.1.13	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-stubs-4.1.13.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-rgma-stubs-4.1.13.noarch.rpm</a>

servlet-java	implementation stubs for R-GMA		050916/bin/rhel30/noarch/RPMS/glite-rgma-stubs-servlet-java-4.1.13-1.noarch.rpm
glite-security-trustmanager	The java certificate path checkin for proxy certs in SSL with plugins for tomcat and axis.	1.7.3	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-trustmanager-1.7.3-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-trustmanager-1.7.3-1.noarch.rpm</a>
glite-security-util-java	The java utilities library for security	1.1.2	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-util-java-1.1.2-2.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-util-java-1.1.2-2.noarch.rpm</a>
glite-security-utils-config	gLite Security Utilities configuration files	1.0.4	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-utils-config-1.0.4-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-utils-config-1.0.4-1.noarch.rpm</a>
glite-security-voms-admin-client	gLite VOMS Administration clients	1.0.7	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-voms-admin-client-1.0.7-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-voms-admin-client-1.0.7-1.noarch.rpm</a>
glite-security-voms-admin-interface	gLite VOMS Administration service (interface)	1.0.2	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-voms-admin-interface-1.0.2-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-voms-admin-interface-1.0.2-1.noarch.rpm</a>
glite-security-voms-admin-server	gLite VOMS Administration service	1.2.2	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-voms-admin-server-1.2.2-1.noarch.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-security-voms-admin-server-1.2.2-1.noarch.rpm</a>
glite-security-voms-api	Change me !!!	1.6.5	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-api-1.6.5-0.i386.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-api-1.6.5-0.i386.rpm</a>
glite-security-voms-api-c	Change me !!!	1.6.5	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-api-c-1.6.5-0.i386.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-api-c-1.6.5-0.i386.rpm</a>
glite-security-voms-api-cpp	Change me !!!	1.6.5	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-api-cpp-1.6.5-0.i386.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-api-cpp-1.6.5-0.i386.rpm</a>
glite-security-voms-clients	Change me !!!	1.6.5	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-clients-1.6.5-0.i386.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-clients-1.6.5-0.i386.rpm</a>
glite-security-voms-config	Change me !!!	1.6.5	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-config-1.6.5-0.i386.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-config-1.6.5-0.i386.rpm</a>
glite-security-voms-mysql	Change me !!!	1.1.1	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-mysql-1.1.1-0.i386.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-mysql-1.1.1-0.i386.rpm</a>
glite-security-voms-server	Change me !!!	1.6.5	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-server-1.6.5-0.i386.rpm">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/i386/RPMS/glite-security-voms-server-1.6.5-0.i386.rpm</a>
glite-voms-server-mysql-config	gLite VOMS Server and	2.1.0	<a href="http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-voms-">http://glite.web.cern.ch/glite/packages/R1.4/R20050916/bin/rhel30/noarch/RPMS/glite-voms-</a>

	Admin Tools node configuration files		server-mysql-config-2.1.0-0.noarch.rpm
--	---	--	--

## 4. DEPENDENCIES

The gLite Computing Element module has the following dependencies:

Component name	Version	RPM file name
GPT	VDT 1.2.2	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/gpt-VDT1.2.2rh9-1.i386.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/gpt-VDT1.2.2rh9-1.i386.rpm</a>
VDT Globus Essentials	VDT 1.2.2	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/vdt_globus_essentials-VDT1.2.2rh9-1.i386.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/vdt_globus_essentials-VDT1.2.2rh9-1.i386.rpm</a>
MySQL-server	4.1.11	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/MySQL-server-4.1.11-0.i386.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/MySQL-server-4.1.11-0.i386.rpm</a>
MySQL-client	4.1.11	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/MySQL-client-4.1.11-0.i386.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/MySQL-client-4.1.11-0.i386.rpm</a>
perl-Crypt-SSLeay	0.51	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Crypt-SSLeay-0.51-4.i386.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Crypt-SSLeay-0.51-4.i386.rpm</a>
perl-Authen-SASL	2.08	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Authen-SASL-2.08-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Authen-SASL-2.08-1.1.el3.rf.noarch.rpm</a>
perl-Digest-HMAC	1.01	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Digest-HMAC-1.01-11.1.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Digest-HMAC-1.01-11.1.noarch.rpm</a>
perl-Digest-SHA1	2.01	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Digest-SHA1-2.01-15.1.i386.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Digest-SHA1-2.01-15.1.i386.rpm</a>
perl-MIME-Lite	2.117	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-MIME-Lite-2.117-2.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-MIME-Lite-2.117-2.1.el3.rf.noarch.rpm</a>
perl-Net-Jabber	2.0	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Net-Jabber-2.0-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Net-Jabber-2.0-1.1.el3.rf.noarch.rpm</a>
perl-Net-XMPP	1.0	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Net-XMPP-1.0-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-Net-XMPP-1.0-1.1.el3.rf.noarch.rpm</a>
perl-SOAP-Lite	0.60a	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-SOAP-Lite-0.60a-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-SOAP-Lite-0.60a-1.1.el3.rf.noarch.rpm</a>
perl-XML-Stream	1.22	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-XML-Stream-1.22-1.1.el3.rf.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/perl-XML-Stream-1.22-1.1.el3.rf.noarch.rpm</a>
Tomcat5	5.0.28	<a href="http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/tomcat5-5.0.28-10_EGEE.noarch.rpm">http://glite.web.cern.ch/glite/packages/externals/bin/rhel3_0/RPMS/tomcat5-5.0.28-10_EGEE.noarch.rpm</a>
Java SDK/JRE	1.4.2	<a href="http://java.sun.com/j2se/1.4.2/download.html">http://java.sun.com/j2se/1.4.2/download.html</a>

## 5. KNOWN BUGS AND ISSUES

This release has the following bugs and issues. Bug numbers refer to the gLite Bug Tracking system database hosted on the CERN Savannah system at <https://savannah.cern.ch/bugs/?group=jra1mdw>.

### 5.1. KNOWN OPEN BUGS

Bug number	Description
<a href="#">#7164</a>	glite-voms-init still uses deprecated -hours option



# Release Notes

Doc. Identifier:

release\_notes.doc

Date: 16/09/2005

#5848	<a href="#">edg-voms-make-vo-rpms 0.7.4 fails to build RPM</a>
#7898	<a href="#">voms-proxy-init: --certdir parameter description is not clear</a>
#8021	<a href="#">VOMS test script doesn't tell you the progress when in the mass voms-proxy-* fase.</a>
#9171	<a href="#">[VOMS Admin] Tomcat group check too restrictive</a>
#10702	<a href="#">VOMS connecting to database twice</a>
#10805	<a href="#">[VOMS] Failed checks for Expat in configure</a>
#10581	<a href="#">VOMS: problems compiling on debian</a>
#9178	<a href="#">voms/vomrs tomcat5 dies out of memory</a>
#10680	<a href="#">Bad behaviour of java VOMS parser</a>
#7634	<a href="#">VOMS ldap synch and signing policies</a>
#7662	<a href="#">references to EDG license in voms</a>
#7663	<a href="#">edg licence in voms-admin</a>
#8582	<a href="#">voms webui: Couldn't find the configuration file.</a>
#9089	<a href="#">Problems assigning VOMS roles</a>
#9173	<a href="#">[VOMS Admin] VOMS must be in qLite location</a>
#9218	<a href="#">[VOMS Admin] voms-admin fails with SSL and non-standard certificate dir</a>
#9339	<a href="#">VOMS Admin: Host cert information is outdated</a>
#9340	<a href="#">VOMS Admin: Host cert must be easily downloadable from the web interface</a>
#9560	<a href="#">[VOMS Admin] Implement user privilege summary page</a>
#9562	<a href="#">[VOMS Admin] Don't list operations that the user will not be able to execute</a>
#9577	<a href="#">VOMSValidator throws exception if directory /etc/grid-security/vomsdir/ does not exist</a>
#10072	<a href="#">no tool to migrate VOMS db content from MySQL to Oracle</a>
#10363	<a href="#">voms-admin script sets file permissions incorrectly</a>
#10434	<a href="#">voms server update for a vo not possible</a>
#10383	<a href="#">voms-admin-install handles command line options incorrectly</a>
#10386	<a href="#">voms-admin-configure prints out wrong mysql port in help</a>
#10433	<a href="#">voms-admin-configure help is incorrect</a>
#10296	<a href="#">[VOMS]certificate registration command does not pick up CA URI</a>
#10025	<a href="#">VOMS: voms-server-conf.py error</a>
#10037	<a href="#">VOMS Admin needs to have a mailinglist functionality</a>
#10313	<a href="#">VOMS new user - invalid email</a>
#10399	<a href="#">glite-mkgridmap truncates gridmap file, when VOMS server is down</a>
#10423	<a href="#">[VOMS] glite-voms-server.cfg.xml should offer to specify authentication params for smtp</a>
#10431	<a href="#">VOMS admin and VOMS need to be harmonized</a>
#10728	<a href="#">Java VOMS class should return clean FQAN</a>
#10729	<a href="#">VOMS API should return clean FQAN</a>
#10761	<a href="#">[VOMS] Empty error message when doing vom-proxy-init with invalid line in vomses-file</a>
#10785	<a href="#">[VOMS] missing implicit permissions on VOMS admin interface</a>
#10813	<a href="#">[VOMS] Oracle Error on confirm registration request</a>
#10846	<a href="#">[VOMS] Must specify alternate port and socket for MySQL</a>
#10163	<a href="#">No way to have voms core restarting after machine reboot</a>
#9151	<a href="#">voms-admin doesn't send notification to admins</a>
#3887	<a href="#">VOMS and user name assignment</a>
#8508	<a href="#">voms deployment scripts drop all VO members on a rerun.</a>
#9795	<a href="#">VOMS deployment script downloads old CA certs version</a>
#9804	<a href="#">VOMS deploy script: no check on empty parameters</a>
#10050	<a href="#">VOMS installation does not allow to install from an existing VOMS setup</a>
#10336	<a href="#">Data Single Catalog: no mention to voms in the documentation</a>
#10847	<a href="#">WMSproxy doesn't manage to submit : VERR_SIGN voms sign verify error</a>

## 5.2. FIXED IN THIS OR PREVIOUS RELEASES, BUT NOT YET TESTED

Bug	Description
-----	-------------



# Release Notes

Doc. Identifier:

release\_notes.doc

Date: 16/09/2005

number	
<a href="#">#6049</a>	<a href="#">lcas-plugins-voms does not support FQANs, only old style VOMS-triplets</a>
<a href="#">#7048</a>	<a href="#">VOMS: there is no easy way for an application to retrieve the info from the proxy cert</a>
<a href="#">#10678</a>	<a href="#">[VOMS]glite-voms-server-config.py fails with several switches</a>
<a href="#">#6503</a>	<a href="#">GridSite does not export VOMS extensions to the cgi environment</a>
<a href="#">#6943</a>	<a href="#">If the user issuing voms-proxy-init is not a member of the specified VO, confusing error is returned.</a>
<a href="#">#7047</a>	<a href="#">VOMS_Retrieve() segfaults if VERIFY_DATE is set and the proxy has expired</a>
<a href="#">#7369</a>	<a href="#">Error from voms-proxy-init</a>
<a href="#">#8867</a>	<a href="#">memory leak in lcmaps voms group plugins</a>
<a href="#">#9408</a>	<a href="#">VOMS Admin spits internal database inconsistency faults on getGridmapUsers</a>
<a href="#">#10253</a>	<a href="#">VOMS (core) service rejects connection because of not able to write to logfile</a>
<a href="#">#10422</a>	<a href="#">VOMS client lib./MyProxy: Globus deallocation problem</a>
<a href="#">#4637</a>	<a href="#">VOMS API should offer a simpler way of processing the VOMS attribute certs</a>
<a href="#">#5166</a>	<a href="#">[VOMS Admin] Couldn't handle the Russian CA issued personal certificates</a>
<a href="#">#5357</a>	<a href="#">ambiguous error message in edg-voms</a>
<a href="#">#5360</a>	<a href="#">edg-voms creates logfile with exotic mode</a>
<a href="#">#5362</a>	<a href="#">edg-voms run as a non-privileged user</a>
<a href="#">#5849</a>	<a href="#">LCMAPS VOMS plugin 0.0.30 crashes on SLC3</a>
<a href="#">#6678</a>	<a href="#">VOMS_Contact() crashes</a>
<a href="#">#7311</a>	<a href="#">voms build does not use expat.location from the repository</a>
<a href="#">#7511</a>	<a href="#">VOMS_FindByVO() doesn't work without user's local configuration</a>
<a href="#">#7660</a>	<a href="#">hard-wired defaults in voms_install_db</a>
<a href="#">#7665</a>	<a href="#">rvoms-admin-configure as pm post install script</a>
<a href="#">#7890</a>	<a href="#">VOMS attribute validation fails in java VOMS parser</a>
<a href="#">#7905</a>	<a href="#">Support for GLOBUS_FLAVORS needed by broker missing in VOMS.</a>
<a href="#">#8012</a>	<a href="#">glite-security-voms-admin-server installed before tomcat user exists.</a>
<a href="#">#8295</a>	<a href="#">Welcome to VOMS! doesn't tell you the VO name</a>
<a href="#">#8357</a>	<a href="#">org.glite.security.voms/src/configure.in bug when checking for GLOBUS_FLAVORS</a>
<a href="#">#8603</a>	<a href="#">VOMS (core) service can't restart after crash when log file is at 2GB.</a>
<a href="#">#9049</a>	<a href="#">Mail from VOMS refers to edg</a>
<a href="#">#9077</a>	<a href="#">voms-proxy-init man page should include role syntax</a>
<a href="#">#9168</a>	<a href="#">[VOMS Admin] --fileinstall switch to voms-admin-configure fails</a>
<a href="#">#9170</a>	<a href="#">[VOMS Admin] --fileinstall still requires valid MySQL location</a>
<a href="#">#9799</a>	<a href="#">[VOMS] The edg-voms process loops on accept() when the port number is unavailable</a>
<a href="#">#9800</a>	<a href="#">[VOMS] The edg-voms process truncates the log file on startup</a>
<a href="#">#10069</a>	<a href="#">VOMS administration webservice removes user from VO instead of group</a>
<a href="#">#10432</a>	<a href="#">voms_install_db has no help function</a>
<a href="#">#10459</a>	<a href="#">glite-security-voms-oracle should not depend on oracle rpms</a>
<a href="#">#10574</a>	<a href="#">voms-proxy-init prints wrong error message when cert expired</a>
<a href="#">#10682</a>	<a href="#">Man pages missing from separate voms rpms</a>
<a href="#">#6763</a>	<a href="#">VOMS server certificate not installed by CE installer</a>
<a href="#">#8682</a>	<a href="#">After the Single Catalog (MYSQL) installation /etc/grid-security/vomsdir is not created</a>
<a href="#">#9342</a>	<a href="#">CE LCMAPS: Can't alter the VOMSDIR for in the lcmmaps.db file through XML conf file</a>
<a href="#">#10189</a>	<a href="#">UI configuration does not alter vomses file</a>

## 5.3. BUGS CLOSED SINCE LAST RELEASE

This release fixes the following bugs and issues. Bug numbers refer to the gLite Bug Tracking system database hosted on the CERN Savannah system at <https://savannah.cern.ch/bugs/?group=jra1mdw>

Bug number	Description
<a href="#">#3739</a>	<a href="#">VOMS registration error</a>

<a href="#">#4120</a>	[VOMS] Requesting VO membership confirmation e-mails were not send to user.
<a href="#">#4122</a>	[VOMS] In the request detail the E-Mail address =<null>
<a href="#">#4484</a>	Can't setup a VOMS server with a VO name longer then six characters
<a href="#">#5009</a>	VOMS: making it possible to assign roles more freely
<a href="#">#5048</a>	No RPMS for the VOMS Admin (interface)
<a href="#">#5356</a>	unnecessary file org.glite.security.voms/src/include/config.h.in
<a href="#">#5358</a>	edg-voms has no help/usage option
<a href="#">#5359</a>	edg-voms exits abnormally when given unrecognised optionoption
<a href="#">#5403</a>	org.glite.security.voms-admin-server fails to build
<a href="#">#5454</a>	LCAS voms_plugin initialization failure : libgridsite.so.1.0 contains an undefined symbol
<a href="#">#5495</a>	Can't execute voms-admin-configure because of missing module
<a href="#">#5561</a>	[VOMS Admin] Couldn't send e-mail for the registration request
<a href="#">#5582</a>	unable to get voms proxy info from a voms proxy
<a href="#">#5803</a>	voms-proxy-init requires vomses confile to owned by root user
<a href="#">#5817</a>	Cannot connect to the VOMS
<a href="#">#6060</a>	voms_install_db cannot be run properly with MySQL relocated
<a href="#">#6424</a>	VOMS Admin can't send notification emails to users
<a href="#">#6428</a>	VOMS lock files are going into the wrong place
<a href="#">#6612</a>	voms-admin requires following patch on voms core
<a href="#">#6857</a>	Is it still possible to select the VOMS groups with voms-proxy-init?
<a href="#">#6930</a>	VOMS & VOMS Admin services should publish to the Service table
<a href="#">#7011</a>	glite-voms-server-config DBA password should be optional
<a href="#">#7193</a>	[VOMS Admin] The mechanism for getting notification addresses for admin users does not work
<a href="#">#7243</a>	Access denied error on GLOBAL ACL section of VOMS Admin
<a href="#">#7303</a>	glite CE configuration module should download voms cert
<a href="#">#7453</a>	glite-voms-server-config.py dies with unknown error
<a href="#">#7583</a>	voms-proxy-init fails if vomses file contains empty lines at the end
<a href="#">#7695</a>	ohne worte ( 6 minutes or 2 months ? ) voms-proxy-init -hours
<a href="#">#7696</a>	voms-admin request details not complete
<a href="#">#7813</a>	voms-proxy-init wrong pass phrase error message should include \n
<a href="#">#7925</a>	voms-proxy-init crashes on my new certificate
<a href="#">#7986</a>	Unreplaced tokens in VOMS Admin web interface
<a href="#">#7989</a>	VOMS Admin confirmation messages display (null) instead of VO name
<a href="#">#7990</a>	The vomses example file is missing from the VOMS Admin installation
<a href="#">#8006</a>	voms-admin-server and role attribute
<a href="#">#8036</a>	VOMS server upgrade fails due to conflicts
<a href="#">#8092</a>	Multiple "/opt/glite/var/etc/voms-admin/<VO name>/vomses" file problems
<a href="#">#8343</a>	voms_install_db.sgml problem
<a href="#">#8531</a>	Problem to start the VOMS server - conflict with detected DB version
<a href="#">#8605</a>	Errors in the glite-voms-server.cfg.xml file

<a href="#">#8639</a>	<a href="#">problem with voms-admin-configure</a>
<a href="#">#8641</a>	<a href="#">problem with user creation through glite voms-admin</a>
<a href="#">#8750</a>	<a href="#">VOMS Server uses a blocking socket</a>
<a href="#">#8756</a>	<a href="#">VOMS install script fails on XML parsing of the .cfg.xml file</a>
<a href="#">#8868</a>	<a href="#">[VOMS Admin] Subgroup creation is not possible on the web interface</a>
<a href="#">#8869</a>	<a href="#">[VOMS Admin] Multiple vomsd configuration problems in voms-admin-configure</a>
<a href="#">#9085</a>	<a href="#">VOMS display shows everyone in each group even if empty.</a>
<a href="#">#9129</a>	<a href="#">VOMS test script isn't in the release</a>
<a href="#">#9172</a>	<a href="#">[VOMS Admin] Allow for alternate invocation methods for MySQL</a>
<a href="#">#9254</a>	<a href="#">SQLPLUS libs is packed with VOMS and breaks standard install</a>
<a href="#">#9302</a>	<a href="#">VOMS-admin Welcome page</a>
<a href="#">#9561</a>	<a href="#">[VOMS Admin] Implement implicit permissions</a>
<a href="#">#9576</a>	<a href="#">VOMS fails to verify VOMS server certificate the first time after a VOMS_Init</a>
<a href="#">#9596</a>	<a href="#">voms-proxy-info doesn't validate the signature</a>
<a href="#">#9949</a>	<a href="#">glite-mkgridmap 2.4.2 not working with voms-admin 1.0.5</a>
<a href="#">#10009</a>	<a href="#">libvomsc library depends on c++ symbols</a>
<a href="#">#10044</a>	<a href="#">voms-proxy-init lack of a newline displaying the help</a>
<a href="#">#10049</a>	<a href="#">VOMS Admin Global ACL needs to be changed on deployment</a>
<a href="#">#10051</a>	<a href="#">VOMS installation doesn't allow to enter a SMTP host in the XML file anymore</a>
<a href="#">#10137</a>	<a href="#">VOMS Admin getGridmapUsers fails if a container is not explicitly passed</a>
<a href="#">#10203</a>	<a href="#">glite R1.2 voms core doesn't start - misleading error message</a>
<a href="#">#10267</a>	<a href="#">[VOMS] installer script error</a>
<a href="#">#10424</a>	<a href="#">[VOMS]Missing information in glite-voms-server.cfg.xml-file</a>
<a href="#">#10425</a>	<a href="#">voms-proxy-init bingo puzzle</a>
<a href="#">#10430</a>	<a href="#">VOMS server Oracle crashes on user registration</a>
<a href="#">#10439</a>	<a href="#">VOMS Admin cannot manage more than one VO installation</a>
<a href="#">#10441</a>	<a href="#">VOMS admin does not allow to be run on MySQL db without password</a>
<a href="#">#10442</a>	<a href="#">VOMS admin points always to last vo when using one VO</a>
<a href="#">#10496</a>	<a href="#">[VOMS] java.lang.NullPointerException</a>
<a href="#">#10545</a>	<a href="#">VOMS server installation: voms-proxy-init failing with globus_gss_assist token :3: read failure: Connection closed</a>
<a href="#">#10673</a>	<a href="#">strange voms-proxy-init behaviour</a>
<a href="#">#10734</a>	<a href="#">[VOMS] glite-voms-server-config.py --configure does not parse second instance in glite-voms-service.cfg.xml correctly</a>
<a href="#">#10786</a>	<a href="#">VOMS: installer fails with oracle instanclient dependencies</a>
<a href="#">#10827</a>	<a href="#">voms-proxy-init crashes because of proxy-format error</a>
<a href="#">#10839</a>	<a href="#">VOMS: 4Suite, CA list., perl-libxml, rgma-servicetool-config and other missing dependencies</a>